




LED STRIP LIGHT

CATALOGUE

<https://www.lighting-ds.com>



INTRODUCTION

LED strip lights are often used to outline the various buildings, build large lighting patterns, decorate a variety of indoor entertainment facilities, home landscaping, and other auxiliary lighting and decorative lighting Application. According to the voltage, it can be divided into high voltage led strip light and low voltage DC12V/24V led strip light.

High voltage led strip light is a light strip driven by high voltage. As it is powered by alternating current, it is also called an AC led light strip. Such as AC110V/120V/230V/240V led strip lights.

Low-voltage led strip lights usually powered by low-voltage DC 12V/24V, is also called a 12V/24V led strip light or DC led strip light.

The high-voltage led rope light and the 12V/24V led strip light are the main products in the field of linear lighting, and the lighting effects are similar.





HIGH VOLTAGE SERIES

<https://www.lighting-ds.com>


PRODUCT NO.	PICTURE	LEDS	PRODUCT PARAMETERS
DSLSSL-60S220-01		SMD2835, 60LEDS/M,SINGLE ROW DESIGN	LEDS LUMEN: 24-26 LM, COPPER BRACKET, 8MM DOUBLE SIDED WHITE PCB, 450LM/M, 7W/M, RA≥80, OUTER SIZE: 12*6MM, COLOR TEMP: 2700K, 3000K, 3500K, 4000K, 5000K
DSLSSL-120S220-01		SMD2835, 120LEDS/M,SINGL E ROW DESIGN	LEDS LUMEN: 24-26 LM, COPPER BRACKET, 10MM DOUBLE SIDED WHITE PCB, 950LM/M, 8.5W/M, RA≥80, OUTER SIZE: 14*6MM,COLOR TEMP: 2700K, 3000K, 3500K, 4000K, 5000K
DSLSSL-120D220-01		SMD2835, 120LEDS/M,DOUB LE ROW DESIGN	LEDS LUMEN: 24-26 LM, COPPER BRACKET, DOUBLE SIDED WHITE PCB, 1050LM/M, 9W/M, RA≥80, OUTER SIZE: 15*6.5MM, COLOR TEMP: 2700K, 3000K, 3500K, 4000K, 5000K
DSLSSL-180D220-01		SMD2835, 180LEDS/M, DOUBLE ROW DESIGN	LEDS LUMEN: 24-26 LM, COPPER BRACKET, DOUBLE SIDED WHITE PCB, 1250LM/M, 11W/M, RA≥80, OUTER SIZE: 15*6.5MM,COLOR TEMP: 2700K, 3000K, 3500K, 4000K, 5000K
DSLSSL-60S220-RGB		SMD5050, 60LEDS/M,SINGLE ROW DESIGN	LEDS: HIGH BRIGHT RGB LEDES, 12MM DOUBLE SIDED WHITE PCB, 10W/M, OUTER SIZE: 15*6.5MM, COLOR TEMP: 2700K, 3000K, 3500K, 4000K, 5000K, RED, GREEN, BLUE



<https://www.lighting-ds.com>


HIGH VOLTAGE SERIES

BREAK UP SHOW







ACCESSORIES OPTIONAL




Mounting Clip



End Cap



Connector



Power Connector



<https://www.lighting-ds.com>

APPLICATION

